



HOWARD

Genuine Blades and Tines



Always insist on
blue Blades and
Tines stamped

 **HOWARD**



Genuine Blades and Tines

■ **Rotalabour** ■ **Rotaspikes** ■ **Rotative Harrows**

■ **Rotalabour 2 bolts**
HA-HR20
Left : 647 254
Right : 647 255

Bolt
Ø 16
Ref. : 762 409

50 mm
12 mm
920 g
50 mm

■ **Rotalabour 2 bolts**
HB-HU-HR30-HR35
Left : 762 406
Right : 762 407

Bolt
Ø 16
Ref. : 762 409

50 mm
12 mm
1 000 g
50 mm

■ **Rotalabour 2 bolts**
T-HC-HD-HR40-HR50
Left : 653 256
Right : 653 257

Bolt
Ø 16
Ref. : 762 409

50 mm
12 mm
1 200 g
60 mm

■ **Rotalabour F1**
HR30-HR35
Left : 186 315
Right : 186 316

Bolt
Ø 16
Ref. : 107 286

12 mm
1 190 g
60 mm

■ **Rotalabour F1**
HR40-HR42-HR50 HR60
Left : 653 828
Right : 653 829

Bolt
Ø 16
Ref. : 652 968

12 mm
1 240 g
60 mm

■ **Rotaspikes**
HR30-HR35-HR40 HR42-HR50
Spikes : 652 816

Bolt
Ø 10
Ref. : 652 817

820 g
Ø 30 mm

■ **Rotative Harrows**
HK10
Left : 182 930
Right : 182 931

Bolt
Ø 14
Ref. : 182 316

60 mm
10 mm
250 mm
1 520 g

■ **Rotative Harrows**
HK20
Left : 182 935
Right : 182 936

Bolt
Ø 14
Ref.: 651 499
**** 182 316

60 mm
12 mm
250 mm
1 850 g

■ **Rotative Harrows**
HK20
Left : 182 937
Right : 182 938

Bolt
Ø 14
Ref. : 651 499

60 mm
15 mm
250 mm
2 270 g

■ **Rotative Harrows**
HK30 Long
Left : 182 939
Right : 182 940

Bolt
Ø 14
Ref.: 651 499
**** 182 316

60 mm
15 mm
300 mm
2 510 g

■ **Rotative Harrows**
HK30-HK40
Left : 185 515
Right : 185 516

Bolt
Ø 16
Ref. : 185 513

65 mm
15 mm
250 mm
2 240 g

■ **Rotative Harrows**
HK30-HK40 Long
Left : 185 505
Right : 185 506

Bolt
Ø 16
Ref. : 185 513

65 mm
15 mm
300 mm
2 510 g

