

3 ranges of Power Harrows suitable for tractors from 50 to 180 H.P. and working widths of 2 to 4 metres.



Howard Power Harrows



HK20/300 illustrated


- * **Suitable for Spring or Autumn, deep or shallow cultivation.**
- * **2 Year Transmission Warranty.**
- * **Ideal for combination tillage.**
- * **Choice of Packer, Crumble or Coil Roller.**
- * **All models fitted with safety clutch.**
- * **Choice of blade.**
- * **3 Ranges of quality machines to choose from.**

THRIGE AGRO

HOWARD POWER "MACHINES FOR

The Howard Power Harrows are a rugged and extremely versatile range of powered cultivators designed to meet farmers' and contractors requirements of preparing consistently high quality deep or shallow seedbeds, in a wide variety of soil types in high moisture or dry conditions and as an independent cultivator or in combination with a seed drill.

As illustrated, the vertical rotating rotors are fitted with low power requirement blades which reduce the largest clods to a fine tilth, whilst maintaining the ideal soil structure. The rear levelling bar retains clods within the cultivation chamber and uniformly levels the surface prior to the rear roller which further levels and firms the seedbed.



▲ HK20/300 fitted with Packer Roller.

▼ HK30/300 shown with Crumble Roller.



HK20 50-95 HP

The HK20 range of Power Harrows are suitable for use on tractors with a PTO of 540 or 1000rpm up to 95 hp and are available in either 1, 1.25, 1.5, 2, 2.5 or 3 metre working widths. They feature a selectatilt* gearbox protected by a safety clutch, with pick off gears providing a choice of rotor speed and therefore seedbed tilth. These models are fitted as standard with 25cm x 15mm high carbon steel blades and are available with a choice of rollers. The rear levelling bar is optional as is the stoneguard which is recommended when the HK20 Power Harrow is used in soil conditions with a high stone content.

The HK20 is suitable for use in combination with seed drills.
* Single speed on 1, 1.25 and 1.5 metre machines.

HK30 70-140 HP

HK30 Power Harrows are available in 2.5, 3, 3.5 and 4 metre working widths and are designed to cultivate in heavy conditions where higher horsepower tractors may be required.

The 1000 rpm gearbox which is protected by a safety clutch provides 3 speeds and these are selected through a simple lever change.

All HK30 Power Harrows feature as standard the front stoneguard. This prevents the ingress of stones to the blade carriers, thereby protecting them from damage or excess wear.

The blades are manufactured from high carbon alloy steel and are designed to enable them to cut through the soil as well as ride over stones and other obstacles. The HK30 is fitted as standard with a 25cm x 15mm blade for all normal cultivations. However, a larger 30cm blade is available for deep root crop seedbed preparation.

The floating rear levelling bar is a standard fitment and a choice of rollers are available.

All HK30 Power Harrows are suitable for use in combination with seed drills.

